

BONA REFLECTIVE VALUES, FIRE CERTIFICATION & SLIP CERTIFICATION



Coatings

Reflective Values/Certifications for Bona Coatings

Product	Approximate Reflective Value	Fire certification (EN13501-1 2007)	Slip Certification
Bona Naturale 1 and 2 Component	6 – 8%	Bfl-S1	DIN51130 (R9)
Bona Traffic Anti Slip Matt	25%	Bfl-S1	DIN51130 (R10)
Bona Mega Extra Matt	9%	Bfl-S1	DIN 18032
Bona Mega Matt	30%	Bfl-S1	DIN 18032
Bona Mega Silk matt	50%	Bfl-S1	DIN 18032
Bona Mega Gloss	90%	Bfl-S1	DIN 18032
Bona Novia Matt	25%	Bfl-S1	–
Bona Novia Silk matt	45%	Bfl-S1	–
Bona Novia Gloss	80%	Bfl-S1	–
Bona Sportive Matt	20%	Bfl-S1	DIN 18032, EN 14904:2006
Bona Sportive Gloss	90%	Bfl-S1	DIN 18032, EN 14904:2006
Bona Traffic HD Matt	20 – 25%	Bfl-S1	EN 14904:2006
Bona Traffic HD Silk matt	40 – 45%	Bfl-S1	EN 14904:2006
Bona Traffic HD Extra Matt	10%	Bfl-S1	EN 14904:2006
Bona Resident Plus Matt	20 – 25%	Bfl-S1	–
Bona Resident Plus Silk matt	45 – 50%	Bfl-S1	–
Bona Resident Plus Gloss	85%	Bfl-S1	–
Bona Wave Matt	25%	Bfl-S1	DIN 18032
Bona Wave Silk matt	50%	Bfl-S1	DIN 18032
Bona Wave Gloss	80%	Bfl-S1	DIN 18032